SECTION 1 | IDENTIFICATION

Product identifier: Cast Iron Seasoning Wax

Other means of identification: Cast Iron Seasoning Wax; cast iron and grill seasoning wax

Recommended use: Seasoning and protective coating for cast iron cookware, griddles, and appropriate grill surfaces.

Restrictions on use: Use only as directed. Do not ingest. Do not apply to hot surfaces near an open flame. Remove excess before heating cookware.

Responsible party: Bumblechutes, LLC, 4 Raymond Ave, Suite 6, Salem, NH 03079, United States | +1-603-704-8286 | www.bumblechutes.com

Emergency telephone number: +1-603-704-8286, Monday through Friday, 9:00 a.m. to 5:00 p.m. Eastern Time. For a medical emergency, contact 911 or the U.S. Poison Control Center at +1-800-222-1222.

SECTION 2 | HAZARD IDENTIFICATION

Classification under U.S. OSHA HCS 2024: Not classified as hazardous under U.S. OSHA HCS 2024.

Hazard pictograms: None required.

Signal word: None required.

Hazard statements: None required.

Precautionary statements: Use in accordance with product directions. Avoid eye contact and ingestion. Wash hands after handling.

Hazards not otherwise classified: Molten or excessively heated product can cause thermal burns. Oil-soaked cloths, paper, pads, sanding dust, and other porous materials can self-heat and ignite if piled or improperly discarded. Spilled product may create a slippery surface.

Unknown acute toxicity: Not applicable based on available component information.

SECTION 3 | COMPOSITION AND INFORMATION ON INGREDIENTS

Substance or mixture: Mixture.

Chemical identity	CAS No.	Concentration by weight
Caprylic/capric triglyceride (fractionated coconut oil; MCT)	73398-61-5 / 65381-09-1	15-40%
Flaxseed oil	8001-26-1	10-30%
Sunflower seed oil	8001-21-6	7-13%
Jojoba oil	61789-91-1	1-5%
Beeswax	8012-89-3	7-13%
Carnauba wax	8015-86-9	3-7%
Natural tocopherol (Vitamin E)	59-02-9	0.1-1%
Lemon oil	8008-56-8	0.1-1%

Exact concentrations are withheld as trade secrets under 29 CFR 1910.1200(i). The listed ranges are the narrowest applicable prescribed OSHA ranges and do not reduce the hazard information provided in this SDS. Supplier grade and current supplier SDS information control the complete identity of any ingredient supplied as a mixture.

SECTION 4 | FIRST AID MEASURES

Inhalation: Exposure is not expected during normal use. If heated fumes or mist are inhaled, move the person to fresh air and seek medical advice if symptoms persist.

Ingestion: Rinse mouth. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice after a large ingestion or if symptoms occur.

Skin contact: Wash with soap and water. If irritation or a rash occurs, discontinue exposure and seek medical advice. For molten product, cool with water and do not forcibly remove solidified material from skin.

Eye contact: Rinse cautiously with clean water for at least 15 minutes, including under the eyelids. Remove contact lenses if easy to do. Seek medical attention if irritation persists.

Symptoms and effects: Temporary eye or skin irritation; allergic skin reaction in sensitive individuals. Heated or molten product can cause thermal burns.

Immediate medical attention and special treatment: Treat symptomatically.

SECTION 5 | FIRE FIGHTING MEASURES

Suitable extinguishing media: Water fog or spray, foam, dry chemical, or carbon dioxide.

Unsuitable extinguishing media: Do not use a direct water jet on burning oil or molten wax.

Specific hazards: Product is not classified as flammable, but it can burn when strongly heated or exposed to flame. Combustion may produce carbon monoxide, carbon dioxide, smoke, and irritating organic vapors. Oil-soaked porous materials can self-heat and ignite.

Firefighter protection: Wear full protective equipment and self-contained breathing apparatus. Cool exposed containers with water spray.

SECTION 6 | ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid eye contact and prolonged skin contact. Product residue may make floors and work surfaces slippery.

Environmental precautions: Prevent bulk quantities from entering drains, sewers, soil, or surface waters.

Containment and cleanup: For solid material, scrape or sweep into a suitable container. For molten material, allow it to cool and solidify before removal. Absorb remaining oil with inert material. Clean residue with detergent and water and dispose of collected material in accordance with applicable regulations.

SECTION 7 | HANDLING AND STORAGE

Safe handling: Use in accordance with label directions. Avoid eye contact, ingestion, and unnecessary heating. Wash hands after handling. Use care during heated manufacturing and do not overheat.

Storage: Store tightly closed in a cool, dry, well-ventilated place. Protect from excessive heat, direct sunlight, flame, and strong oxidizing agents. Keep out of reach of children.

Oily materials: Do not pile or leave oil-soaked rags, paper, pads, sanding dust, or other porous material unattended. Place used materials in a closed metal container designed for oily waste and dispose of them under applicable fire and waste rules.

General occupational hygiene: Do not eat, drink, or smoke while handling bulk product. Wash hands after handling and before breaks. Keep work areas clean and promptly remove spill residue.

SECTION 8 | EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational exposure limits: No component-specific OSHA permissible exposure limits are established for the finished mixture based on the ingredients listed in Section 3.

Engineering controls: Normal room ventilation is adequate for ordinary use. Use local exhaust where bulk manufacturing, heating, spraying, or mist generation occurs.

Eye and face protection: No special protection is normally required for consumer use. Wear safety glasses or goggles during bulk handling, heated processing, or spill cleanup.

Hand protection: Wear suitable protective gloves for prolonged handling or if skin sensitivity is present. Wear heat-resistant gloves around molten product or heated equipment.

Respiratory protection: Not normally required. If ventilation is inadequate or fumes or mists cause irritation, use an appropriately selected NIOSH-approved respirator under 29 CFR 1910.134.

Hygiene measures: Wash hands after handling and before eating, drinking, smoking, or leaving the work area.

SECTION 9 | PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid to semi-solid wax
Color	Pale yellow to amber
Odor	Mild characteristic odor
Odor threshold	No data available
Melting/freezing point	Not determined for the finished product
Boiling point or range	No finished-product data available
Flammability	Not classified as flammable
Flash point	Not determined for the finished product
Auto-ignition temperature	No finished-product data available
pH	Not applicable to nonaqueous product
Kinematic viscosity	Not determined for the finished product
Water solubility	Insoluble or practically insoluble
Relative density	Not determined for the finished product
Vapor pressure	Expected to be low at room temperature

SECTION 10 | STABILITY AND REACTIVITY

Reactivity: No hazardous reactivity is expected under recommended conditions of use.

Chemical stability: Stable under recommended storage and handling conditions.

Hazardous reactions: Drying oils react slowly with oxygen while curing. Heat can accumulate in oil-soaked porous materials and cause spontaneous ignition.

Conditions to avoid: Excessive heat, ignition sources, and prolonged exposure to direct sunlight.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: Carbon monoxide, carbon dioxide, smoke, and irritating organic vapors may form during combustion or severe overheating.

SECTION 11 | TOXICOLOGICAL INFORMATION

Likely routes of exposure: Eye and skin contact, ingestion, and inhalation of fumes or mist if heated or sprayed.

Acute toxicity: The finished product is not classified for acute toxicity. No finished-product acute-toxicity testing is available.

Skin corrosion or irritation: Not classified. Prolonged or repeated contact may cause temporary irritation.

Serious eye damage or irritation: Not classified. Direct contact may cause temporary irritation.

Respiratory or skin sensitization: Not classified; sensitive individuals may react to natural oils, lanolin, or botanical components.

Mutagenicity, carcinogenicity, and reproductive toxicity: Not classified based on available component information.

STOT single or repeated exposure: Not classified.

Aspiration hazard: Not classified for the finished product under normal use.

Basis of classification: The finished product has not been tested as a whole. Classification is based on available component information and OSHA mixture-classification rules.

SECTION 12 | ECOLOGICAL INFORMATION

Ecotoxicity: Not classified as hazardous to the aquatic environment based on available component information.

Persistence and degradability: No finished-product data are available. Natural oils may biodegrade; waxes and resins may degrade more slowly.

Bioaccumulative potential: No finished-product data are available.

Mobility in soil: Expected to have low mobility for waxy or oily components; volatile citrus solvent may migrate before evaporating.

Other adverse effects: Avoid uncontrolled environmental release.

SECTION 13 | DISPOSAL CONSIDERATIONS

Waste treatment methods: Reuse or recover uncontaminated material when practical. Do not discharge bulk product to drains or surface waters. Dispose of product, absorbents, oily waste, and contaminated packaging under applicable federal, state, and local requirements.

Oily waste: Prevent heat accumulation. Keep oil-soaked porous material in a closed metal oily-waste container pending lawful disposal. Do not place wet oily material in ordinary trash or leave it in piles.

Waste classification: The product is not expected to be hazardous waste as supplied. The waste generator must determine classification after use or contamination.

Packaging disposal: Empty containers completely. Do not cut, weld, puncture, or incinerate solvent containers. Recycle clean packaging where accepted or dispose of it under local requirements.

SECTION 14 | TRANSPORT INFORMATION

UN number: Not assigned.

UN proper shipping name: Not regulated as dangerous goods.

Transport hazard class: Not applicable.

Packing group: Not applicable.

Environmental hazards: Not classified as a marine pollutant for transport.

U.S. DOT, IMDG, and IATA: Not regulated based on available information.

Special precautions: Protect packaging from excessive heat, moisture where applicable, and physical damage.

Transport in bulk under MARPOL Annex II and the IBC Code: Not applicable to packaged product.

SECTION 15 | REGULATORY INFORMATION

TSCA: Components are listed on or exempt from the U.S. Toxic Substances Control Act Inventory based on available supplier information.

SARA Sections 302 and 304: No ingredient is known to be subject to these reporting requirements at the concentrations present.

SARA Sections 311 and 312: No OSHA physical or health hazard category assigned.

SARA Section 313: No ingredient is known to be subject to Section 313 reporting at the concentrations present.

CERCLA: No ingredient is known to have a CERCLA reportable quantity at the concentrations present.

California Proposition 65: Natural lemon oil may contain variable trace constituents, including substances listed under California Proposition 65. A warning determination requires the current supplier declaration and an exposure assessment; presence alone does not establish that a warning is required.

Food-contact statement: An SDS does not establish food-contact compliance. Suitability depends on ingredient identity and grade, manufacturing controls, intended surface, cure or wipe-off instructions, and conditions of use.

Chemical safety assessment: No chemical safety assessment has been conducted for the finished product.

SECTION 16 | OTHER INFORMATION

Prepared by: Bumblechutes, LLC

Issue date: September 16, 2026

Revision date: September 16, 2026

Version: 1.1

Indication of changes: Corrected Section 3 ingredient identity from coconut oil to fractionated coconut oil (caprylic/capric triglyceride; MCT), including the corresponding CAS information. Concentration range and hazard classification were reviewed and remain unchanged.

Information sources: U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200, including HCS 2024 appendices and prescribed concentration ranges; current available supplier safety data sheets and technical specifications for the ingredients listed in Section 3; OSHA mixture-classification rules and available component physical-property data; 100% Lemon Oil supplier Safety Data Sheet, CAS 8008-56-8, including flammability, aspiration, sensitization, and aquatic-hazard data.

Trade-secret statement: Exact ingredient concentrations for mixtures are maintained by Bumblechutes, LLC and are withheld only to the extent permitted by 29 CFR 1910.1200(i). Required hazard information is not withheld.

Further information: This SDS was prepared specifically for Bumblechutes Cast Iron Seasoning Wax. Product properties that require finished-product testing are identified as not determined or are conservatively classified based on component data.

Notice to readers: The information is believed to be accurate as of the issue date and is intended as guidance for safe handling, use, processing, storage, transport, disposal, and release. It is not a warranty or product-quality specification. The information applies only to the identified product and may not apply when the product is used with other materials or in processes not described here.